

DEPARTMENT OF COMMERCE AND LABOR


BULLETIN

OF THE

BUREAU OF STANDARDS

VOLUME 6









,

.

.

=

*

.

-

....

,







94353

DEPARTMENT OF COMMERCE AND LABOR

BULLETIN

OF THE

BUREAU OF STANDARDS

S. W. STRATTON, DIRECTOR

VOLUME 6 1909-10



WASHINGTON
GOVERNMENT PRINTING OFFICE
1910

National Bureau of Standards

SEP 2 1952

77299

QC1

U5

-^ (





INDEX TO VOLUME 6.

A.

Absolute measurement of electric quantity, Method for the, Burton McCollum, 503.

Accoustic quality, Effect of phase harmonic upon, M. G. Lloyd and P. G. Agnew, 255.

Analysis of EMF waves, Approximate experimental method for the, *P. G. Agnew*, 95.

Artificial illuminants, Daylight efficiency of, *Herbert E. Ives*, 231.

Agnew, P. G., Approximate experimental method for the analysis of EMF waves, 95.

Determination of the constants of instrument transformers, 281.

Effect of phase harmonics upon accoustic quality, 255.

Regulation of potential transformers and magnetizing current, 273.

Austin, Louis W., Comparative sensitiveness of some common detectors of electric oscillations, 527.

B.

Bars, straight, Determination of the magnetic induction in, Charles W. Burrows, 31.

Buckingham, Edgar, Definition of the ideal gas, 409.

Theory of the Hampson liquefier, 125. Burgess, George K., Estimation of the temperature of copper by means of optical pyrometers, 111.

Platinum resistance thermometry at high temperatures, 149.

Burrows, Charles W., Determination of the magnetic induction in straight bars, 31.

C.

Calcium chloride solutions between -35° C and $+20^{\circ}$ C, Specific heat of some, H. C. Dickinson, E. F. Mueller, and E. B. George, 379.

Capacity, Mica condensers as standards of, *Harvey L. Curtis*, 431.

Circuits, Coupled, in which the secondary has distributed inductance and capacity, *Louis Cohen*, 247.

Coblentz, W. W., Luminous efficiency of the firefly, 321.

Note on the thermoelectric properties of tantalum and tungsten, 107. Selective radiation from various solids, II., 301.

Cohen, Louis, Coupled circuits in which the secondary has distributed inductance and capacity, 247.

Color, Pure, Method for constructing the natural scale of, P. G. Nutting, 89.

Comparative sensitiveness of some common detectors of electric oscillations, Louis W. Austin, 527.

Condensers, Mica, as standards of capacity, Harvey L. Curtis, 431.

Copper, Estimation of the temperature of, by means of optical pyrometers, George K. Burgess, 111.

Current, magnetizing, Regulation of potential transformers and, M. G. Lloyd and P. G. Agnew, 273.

Curtis, Harvey L., Mica condensers as standards of capacity, 431.

D

Daylight efficiency of artificial illuminants, Herbert E. Ives, 231.

Definition of the ideal gas, Edgar Buckingham, 409.

Detectors of electric oscillations, Comparative sensitiveness of, *Louis W. Austin*, 527.

Determination of the constants of instrument transformers, P. G. Agnew and T. T. Fitch, 281.

Determination of the magnetic induction in straight bars, Charles W. Burrows, 31.

Determination of the ratio of transformation and of the phase relations in transformers, E. B. Rosa and M. G. Lloyd, 1.

Dickinson, H. C., Specific heat of some calcium chloride solutions between -35° C and $+20^{\circ}$ C, 379.

E.

Effect of phase harmonics upon acoustic quality, M. G. Lloyd and P. G. Agnew, 255.

Efficiency, Luminous, of the firefly, Herbert E. Ives and W. W. Coblentz, 321.

Electric oscillations, Comparative sensitiveness of some common detectors of, Louis W. Austin, 527.

Electric quantity, Method for the absolute measurement of, Burton McCollum, 503.

Estimation of the temperature of copper by means of optical pyrometers, *George K. Burgess*, 111.

F.

Firefly, Luminous efficiency of the, Herbert E. Ives and W. W. Coblentz, 321.

Fitch, T. T., Determination of the constants of instrument transformers, 281.

G.

Galvanometer, vibration, Theoretical and experimental study of the, Frank
Wenner, 347.

Gas, ideal, definition of the, Edgar Buckingham, 409.

George, E. B., Specific heat of some calcium chloride solutions between -35° C and $+20^{\circ}$ C, 379.

Grover, Frederick W., Mutual inductance of two parallel coaxial circles in terms of hypergeometrical series, 480.

H.

Hampson liquefier, Theory of the, Edgar Buckingham, 125.

Harmonics, phase, Effect of upon acoustic quality, M. J. Lloyd and P. G. Agnew, 255.

Heat, Specific, of some calcium chloride solutions between -35° C and $+20^{\circ}$ C, H. C. Dickinson, E. F. Mueller and E. B. George, 379.

High temperatures, Platinum resistance thermometry at, C. W. Waidner and G. K. Burgess, 149.

Hypergeometrical series, Mutual inductance of two parallel coaxial circles in terms of, *Frederick W. Grover*, 489.

I.

Ideal gas, Definition of the Edgar Buckingham, 409.

Illuminants, artificial, Daylight efficiency of, *Herbert E. Ives*, 231.

Inductance, Mutual, of two parallel coaxial circles in terms of hypergeometrical series, *Frederick W. Grover*, 489.

Induction, magnetic, in straight bars, Determination of the, Charles W. Burrows, 31.

Instrument transformers, Determination of the constants of, P. G. Agnew and T. T. Fitch, 281.

Ives, Herbert E., Daylight efficiency of artificial illuminants, 231.

Luminous efficiency of the firefly, 321.

White light from the mercury arc and its complementary, 265.

L.

Light, White, from the mercury arc and its complementary, *Herbert E. Ives*, 265.

Liquefier, Hampson, Theory of the, Edgar Buckingham, 125.

Lloyd, M. G., Determination of the ratio of transformation and of the phase relations in transformers, 1.

Effect of phase harmonics upon acoustic quality, 255.

Regulation of potential transformers and magnetizing current, 273.

Luminosity and temperature, P. G. Nutting, 337.

Luminous efficiency of the firefly, Herbert E. Ives, and W. W. Coblentz, 321.

M

Magnetizing current, Regulation of potential transformers and, M. G. Lloyd and P. G. Agnew, 273.

McCollum, Burton, Method for the absolute measurement of electric quantity, 503.

Mercury arc and its complementary, White light from the, *Herbert E. Ives*, 265.

Method for the absolute measurement of electric quantity, Burton McCollum, 503.

Method for constructing the natural scale of pure color, P. G. Nutting, 89.

Method for the determination of relative wave lengths. *Irwin G. Priest*, 573:

Mica condensers as standards of capacity, Harvey L. Curtis, 431.

Mueller, E. F., Specific heat of some calcium chloride solutions between -35° C and $+20^{\circ}$ C, 379.

Mutual inductance of two parallel coaxial circles in terms of hypergeometrical series, Frederick W. Grover, 489.

N

Natural scale of pure color, Method for constructing the, P. G. Nutting, 89.

Nomenclature, Photometric units, and E. B. Rosa, 543.

Note on the thermoelectric properties of tantalum and tungsten, W. W. Coblentz, 107.

Nutting, P. G., Luminosity and temperature, 337.

Method of constructing the natural scale of pure color, 89.

Resolving powers of objectives, 121.

O.

Objectives, Resolving powers of, P. G. Nutting, 121.

Optical pyrometers, Estimation of the temperature of copper by means of, *George K. Burgess*, 111.

Oscillations, electric, Comparative sensitiveness of some common detectors of, Louis W. Austin, 527.

P.

Photometric units and nomenclature, E. B. Rosa, 543.

Platinum resistance thermometry at high temperatures, C. W. Waidner and G. K. Burgess, 149.

Potential transformers and magnetizing current, Regulation of, M. G. Lloyd and P. G. Agnew, 273.

Priest, Irwin G., Modified method for the determination of relative wave lengths, 57.3.

Pure color, Method for constructing the natural scale of, P. G. Nutting, 89.

Pyrometers, optical, Estimation of the temperature of copper by means of, George K. Burgess, 111.

Q.

Quality, acoustic, Effect of phase harmonics upon, M. G. Lloyd and P. G. Agnew, 255.

Quantity, electric, Method for the absolute measurement of, Burton McCollum, 503.

R.

Radiation, Selective, from various solids, II, W. W. Coblentz, 301.

Regulation of potential transformers and magnetizing current, M. G. Lloyd and P. G. Agnew, 273.

Resistance thermometry, Platinum, at high temperatures, C. W. Waidner and G. K. Burgess.

Resolving powers of objectives, P. G. Nutting, 121.

Rosa, E. B., Determination of the ratio of transformation and of the phase relations in transformers, 1.

Photometric units and nomenclature, 543.

S.

Scale, natural, of pure color, Method for constructing the, P. G. Nutting, 89.

Selective radiation from various solids, II, W. W. Coblentz, 301.

Solids, various, II, Selective radiation from, W. W. Coblentz, 301.

Specific heat of some calcium chloride solutions between -35° C and $+20^{\circ}$ C, H. C. Dickinson, E. F. Mueller and E. B. George.

Standards of capacity, Mica condensers as, *Harvey L. Curtis*, 431.

T.

Tantalum, Note on the thermoelectric properties of, W. W. Coblentz, 107.

Temperature, Luminosity and, P. G. Nutting, 337.

Theoretical and experimental study of the vibration galvanometer, *Frank Wenner*, 347.

Theory of the Hampson liquefier, Edgar Buckingham, 125.

Thermoelectric properties of tantalum and tungsten, Note on the, W. W. Coblentz, 107.

Transformers, Determination of the ratio of transformation and of the phase relations in, E. B. Rosa and M. G. Lloyd, I.

Transformers, instrument, Determination of the constants of, P. G. Agnew and T. T. Fitch, 281.

Transformers, potential, and magnetizing current, Regulation of, M. G. Lloyd and P. G. Agnew, 273.

Tungsten, Note on the thermoelectric properties of, W. W. Coblentz, 107.

U.

Units, Photometric, and nomenclature, E. B. Rosa, 543.

V.

Various solids, II, Selective radiation from, W. W. Coblentz, 301.

Vibration galvanometer, Theoretical and experimental study of the, Frank Wenner, 347.

W.

Waidner, C. W., Platinum resistance thermonetry at high temperatures, 149.

Wave lengths, relative, Modified method for the determination of, *Irwin G. Priest*, 573.

Waves, EMF, Approximate experimental method for the analysis of, P. G. Agnew, 95.

Wenner, Frank, Theoretical and experimental study of the vibration galvanometer, 347.

White light from the mercury arc and its complementary, *Herbert E. Ives*, 265.

